
## Duration measurement of vocants in infants with Cochlear Implants





## International Society of Experimental Linguistics

## ExLing 2020

# Proceedings of 11th International Conference of Experimental Linguistics

10-12 October 2020 Athens, Greece

Edited by Antonis Botinis



National and Kapodistrian University of Athens



#### International Society of Experimental Linguistics

## ExLing 2020

Proceedings of 11<sup>th</sup> International Conference of
Experimental Linguistics
12-14 October 2020
Athens, Greece

Edited by Antonis Botinis

 $Ex Ling \ 2020 \\ Proceedings \ of \ 11^{th} \ International \ Conference \ of \ Experimental \ Linguistics$ 

Published by ExLing Society Electronic edition ExLing 2020 Athens, Greece ISSN: 2529-1092

DOI: 10.36505/ExLing-2020/11 Copyright © 2020 ExLing Society

Welcome to the 11th International Conference of Experimental Linguistics. On behalf of the ExLing Society, I welcome you to Athens, Greece's largest city. Athens combines history and modern culture. Athens' National Archaeological Museum hosts probably the most iconic historical artefact specifically related to language, a small clover-decorated amphora from the geometric period (year 740 BC), that contains one of the first evidence of language study, the alphabet, in a form that was the front runner of the modern Greek, Roman, Cyrillic and other alphabets. The ancient theater under the Acropolis is also a place where early forms of poetry, drama, and comedy started to take shape. This is a perfect historical context to our Society and conference.

Our Society is defined by a collective commitment to understand language through the development of experimental methods in Linguistics. It is an established and international forum for generations of linguists, where new and established researchers, participate and discuss developments in linguistic research and diverse developments of experimental methodologies.

It began in 2006 in Athens with the first ExLing Conference, at the time an International Speech Communication Association (ISCA) ExLing Workshop; subsequently it was hosted in places such as Paris, Saint Petersburg, Heraklion, Lisbon and since 2019 has been established as the annual International Conference of Experimental Linguistics.

ExLing 2020 has a historical connection to the first one, as it takes place in Athens, but it goes virtually this time, exploring how technology would facilitate online language interaction of our members without losing the natural interpersonal communication that our Society has in high regard. To promote this interaction, this time, members of the ExLing Society have a free access to the conference, so that the online presentation opens up to a wider audience.

This volume includes the proceedings of ExLing 2020. In addition to the main conference, ExLing 2020 hosts two special sessions encompassing diverse and energetic research domains that focus on experimental methods and current topics in Language Education and Language Pathology.

We would like to thank all ExLing 2020 participants and our keynote speakers, Yosef Grodzinsky, Jonathan Harrington, Tony Mcenery, Kathy Rastle, William Snyder, Wolfram Ziegler, as well as colleagues from the International Advisory Committee and session chairs for their contribution to the successful outcome of the Conference.

Antonis Botinis ExLing Society

### Contents

Keynote papers
How do writing systems shape reading and reading acquisition?
Children's syntax: a parametric approach
A neurophonetic perspective on articulation planning <sup>1</sup>
Research papers
Lexical selection in bilingual speech production: Evidence from Masked Priming in Picture  Naming
Syllable rate vs. segment rate in perceived speech rate
Properties of the nominal stress grammar in Greek. 1 Vasiliki Apostolouda. 1
Eliciting focus-sensitive why-questions in Japanese
Comprehension of verb directionality in LIS and LSF
Complex syntax intervention for Developmental Language Impairment
Disambiguating cues of disjunctive questions
On only-pragmatically driven intonation change
Subject-object subextraction asymmetry in Russian
Well-established monolingual literacy predictors in bilinguals
Duration measurement of vocants in infants with Cochlear Implants
The outcomes of neglecting native language teaching
Vytautas Magnus University, Lithuania
The phonation types in Fuzhou Chinese

Manipulating difficulty at different levels of language production elicits distinct patterns of disfluency	. 1
Aurélie Pistono, Robert J. Hartsuiker	
Degree of Czech R/L acquisition in L1 Chinese speakers  Petra Poukarová¹, Jitka Veroňková²	
Preliminaries to the Tuvan interrogative intonation	
A data-driven caption for L2 listening	
Planning of active and passive voice in German	
Individual differences in processing pseudo-inflected nonwords	
Experimental testing of the left periphery	
Zipf's law in Toki Pona  Dariusz Jan Skotarek	
Academic vocabulary in an English for Academic Purposes course	
The intonation of Italian verbless exclamatives	
Automated speech analysis enables MCI diagnosis	
Morphological awareness in L1 and L2 reading skills	
Vowel length of Czech trisyllahic words in L1 Russian speakers	
On the acquisition of Greek free choice items Evangelia Vlachou <sup>1</sup> , Dimitrios Kotopoulis <sup>2</sup> , Spyridoula Varlokosta <sup>2</sup>	
L2 vocabulary learning motivation by Chinese EFL learners	
Sentence repetition in German-speaking individuals with Down syndrome	
Acquisition of the Chinese conjunction hé by Russian speakers  Xin Yan, Lemei Peng, Shanshan Yan	. 1
Individual differences in Mandarin focus production.  Yike Yang <sup>1</sup> , Si Chen <sup>1,2</sup>	. 1
Quantity inferences in conditionals: a pilot experimental study Natalia Zevakhina. Veronika Prigorkina	

## Duration measurement of vocants in infants with Cochlear Implants

Paris Binos<sup>1</sup>, Chryssoula Thodi<sup>2</sup>, George Psillas<sup>3</sup>, Paris Vogazianos<sup>2</sup>
<sup>1</sup>Department of Rehabilitation Sciences, Cyprus University of Technology, Cyprus
<sup>2</sup>Department of Health Sciences, European University Cyprus, Cyprus
<sup>3</sup>Department of Medicine, Aristotle University of Thessaloniki, Greece
https://doi.org/10.36505/ExLing-2020/11

#### **Abstract**

Vocants are precursors to speech and are facially neutral. The presence of these speech-like vocalizations was evident during the precursors to mature phonology called "protophones". The prosodic feature of duration of the nuclei plays a crucial role in the shift of prelexical to mature speech, since speech intelligibility is closely related to the control of duration. The aim of this work is to determine whether cochlear implants (CIs) positively trigger language acquisition and the development of verbal skills. Recent literature findings are compared and discussed with the performance of two Greek congenitally hearing-impaired infants who were matched with three normal-hearing (NH) infants. This work highlighted an important weakness of the prosodic abilities of young infants with CIs.

Key words: vocants, prosody, duration, deaf, cochlear implant.

#### Introduction

Language and communication are primarily based on hearing. Hearing deprivation interferes with acquisition of crucial acoustic cues, limits word comprehension, and lowers oral language performance it. Although paediatric cochlear implantation provides measurable benefits on language perception, persistent high heterogeneity of findings prevents a thorough understanding of the process (Spencer, Marschark, Spencer, 2011).

Vowel duration during babbling is crucially important for future speech and language development: shorter vocal duration is related to mature adult-like vocalizations (Kent, Forner, 1980). There is an extensive work related to midfront, low-front and central vowels of children with normal hearing (NH) (Fernald 2004, Katz, Cohn, Moore, 1996, Kitamura, Lam, 2009) during the babbling stage but there are only few reported studies focused on vocant prosodic features (quasivowels and full vowels) of infants with severe-to-profound hearing loss despite their clinical importance (Binos, Thodi, Vogazianos, Psillas, Constantinidis, 2020).

#### Aim of the study

The aim of this literature overview was to present recent findings on suprasegmental duration features in young CI recipients based on very early speech transitions called vocants, and to compare a recent study based on Greek language (Binos et al. 2020) other studies exploring similar phenomena.

#### Method

We reviewed published peer-reviewed studies from the last ten years identified via a PubMed/Medline search. The keyword combination "vowel duration" revealed seventeen papers and "vowel duration cochlear implants" revealed two papers. Inclusion criteria included whether the papers were research reports, clinical trials, meta-analysis, randomized controlled trials, reviews and systematic reviews and only if a full-text access was possible; the papersshould report on infants with CI with speech analysis in the babbling stage. This focus on studies from the last ten years was dictated by recent technological developments that shaped cochlear implants capabilities.

Based on our inclusion criteria studies related to adults or normal-hearing participants were excluded. The papers included (Neumeyer, Harrington, Draxler, 2010, VanDam, Ide-Helvie, Moeller, 2011).

The Greek language study (Binos et al, 2020). Binos et al., (2020), analyzed vocant productions based on spontaneous vocalizations using a combination of acoustical and auditory characteristics. Reflexive or vegetative sounds were excluded. Our CI participants had deafness of unknown etiology and no other disabilities and were enrolled in auditory-oral programs.

Prior to implantation, the infants of the Greek study had an average unaided hearing loss of 95–110 dBHL, while the post implantation pure-tone audiometry (PTA) was 10–38 dBHL. A wideband spectrographic analysis was performed selecting segments from voice onset to the loss of audible signal and the decrease of higher formant energy. To match children for hearing experience, infants with CIs were chronologically older and more developmentally mature than NH peers. Due to the high F<sub>0</sub> of infants' speech, a large analysis bandwidth (450 Hz) was used for the spectrographic analysis. The vocant onset and offset were measured via wideband spectrographic analysis from the voicing onset (first glottal pulse) to the loss of audible signal and the decrease in the energy of higher formants (F2). The decrease of energy was visualized through wideband spectrograms where a lowering of F2 was visible while the oral cavity was enlarged because of tongue retraction (Binos et al, 2020).

#### Results

During the Binos et al (2020) analysis the Kolmogorov-Smirnov test was used for sample sizes greater than 50 and the Shapiro-Wilk test for samples smaller

than 50 to check for data distribution. The data analyzed did not follow the normal distribution for the duration variable. The Levene Test of Equality of Variance was carried out for the duration variable of the groups and the results showed no homogeneity of variances for the duration variable making the Median test more appropriate than the Mann Whitney test. The results ( $\delta$  = 512.5,  $\chi^2$  = 29.020, p < .001) displayed a major weakness for the CI participants on the duration performance. The average vocant duration for NH infants was significantly lower from the CI infants.

#### Discussion

The studies of VanDam, Ide-Helvie and Moeller (2011) and Yang, Brown, Fox et al (2015) agree with the Greek study since the lower the chronological age the longer vocal duration. The VanDam et al (2011) study included groups of CI users ages8-9 years old and the duration of vowels was found longer but only for typical development children when the vowels were followed by consonants (type CVC). In the Yang et al (2015) study pre-lingually deafened CI children (2.9-8.3 years old) produced seven Mandarin vowels longer than the NH children did. Longer duration measured for the isolated vowels /e,  $\alpha$ /, /i  $\alpha$ / of CI users in German (Neumeyer et al, 2010). The Greek study broadens these findings to younger CI individuals.

Longer vocant duration in young CI participants is considered a poor predictor for speech production skill development. Recent studies associate shorter duration of vowels with greater speech maturity and greater intelligibility. The clinical implications of our finding are critical for articulatory positions and acoustic outputs, as habilitation models for young CIs should be adjusted accordingly.

#### Acknowledgements

The authors warmly thank all families that participated in the Greek study. We also thank the University Hospital of AHEPA in Thessaloniki, Greece. Our special thanks go to the ENT Clinic for their continuous support and participation.

#### References

Binos, P., Thodi, C., Vogazianos, P., Psillas, G., Constantinidis, J. 2020. An acoustic and auditory analysis of vocants in infants with cochlear implants. Logopedics Phoniatrics Vocology, DOI: 10.1080/14015439.2020.1724325.

Fernald, A. 2004. Hearing, listening, and understanding auditory development in infancy. In *Blackwell handbook of infant development*. London: Blackwell Publishing: 35– 70.

Neumeyer, V., Harrington, J., Draxler, C. 2010. An acoustic analysis of the vowel space in young and old cochlear-implant speakers. Clin Linguist Phon 24(9), 734–741.

#### 4 P. Binos, Ch. Thodi, G. Psillas, Vogazianos

- Katz, G., Cohn, J., Moore, C. 1996. A combination of vocal f0 dynamic and summary features discriminates between three pragmatic categories of infant-directed speech. Child Dev 67, 205–217.
- Kent, R., Forner, L. 1980. Speech segment durations in sentence recitations by children and adults. J Phon 8(2), 157–168.
- Kitamura, C., Lam, C. 2009. Age-specific preferences for infant-directed affective intent. Infancy 14(1), 77–100.
- Spencer, P.E., Marschark, M., Spencer, L.J. 2011. Cochlear implants: Advances, issues and implications. In *The Oxford Handbook of Deaf Studies, Language and Education*. (eds.) (vol. 1, 2nd edn). New York, NY: Oxford University Press: 452-471.
- Yang, J., Brown, E., Fox, R., et al. 2015. Acoustic properties of vowel production in prelingually deafened Mandarin-speaking children with cochlear implants. J Acoust Soc Am. 138(5), 2791–2799.